

FACSIMILE TRANSMISSION

To: P. Michele Ellison
Enforcement Bureau Chief
Federal Communications Commission
445 12th St. SW
Washington, DC 20554

Date: May 17, 2012

Re: **Radiofrequency Radiation Exposure Complaint No. EMR026**

The communications site subject to the following complaint is located at:

121 Riverside Avenue
Medford, Massachusetts 02155

Cc via E-mail or Facsimile Transmission:

Please distribute to all parties in each location as listed below.

U.S. Senator John Kerry
U.S. Senator Scott Brown
Congressman Ed Markey (MA- 07)
US OSHA North Boston Area Office

Massachusetts Governor Deval Patrick
Massachusetts Dept. of Labor Division of Occupational Safety and Health
Massachusetts Senator Patricia Jehlen
Massachusetts Rep. Paul J. Donato
Massachusetts Rep. Carl Sciortino Jr.

Medford Mayor Michael Mc Glynn
Medford City Council
Medford Building Commissioner Paul Mochi


Total pages with coversheet - 5

To All:


Attached please find Radiofrequency Radiation Exposure Complaint No. EMR026 with findings demonstrating that the antenna site at this location was documented to be in violation of FCC radiofrequency exposure limits.

On behalf of The EMR Radiation Policy Institute (EMRPI) radiation testing was conducted at this rooftop site using a calibrated Narda 8715 meter and B8742D probe and it was found to exceed the lawful limits as defined in 47 C.F.R. 1.1310 for RF maximum permissible exposure (MPE). EMRPI hereby requests that the Enforcement Bureau take the appropriate action to investigate and ensure that the FCC license holders comply with FCC RF radiation MPE limits at this site as required by law.


Respectfully submitted by Board of Directors of The EMR Policy Institute,



Janet Newton
President



Deborah Carney, JD
Vice President



Diana E. Warren
Director

May 18, 2012

Board of Directors

Janet Newton
President
Marshfield VT

Deb Carney
Vice President
Golden CO

Diana Warren
Secretary/Treasurer
Sudbury MA

Science Advisory Group

Magda Havas, Ph.D.
Trent University
Peterborough, Ontario
Canada

Gerard J. Hyland, Ph.D.
University of Warwick
Coventry, Great Britain

Raymond Kasevich, M.S.E.E.
RF Consultant
Great Barrington MA

Henry C.Lai, Ph.D.
University of Washington
Seattle WA

Roger D. Mattson, Ph.D.
Health/Safety Consultant
Golden CO

Jerry L. Phillips, Ph.D.
University of Colorado
Colorado Springs CO

Stuart Selikowitz, M.D.
Dartmouth Medical School
Hanover NH

The EMR Policy Institute is a
501 (c)(3) non-profit
organization as defined by the
U.S. Internal Revenue Service.

P. Michele Ellison
Enforcement Bureau Chief
Federal Communications Commission
445 12th St. SW
Washington, DC 20554

Re: Radiofrequency Radiation Exposure Complaint No. EMR026

Dear Ms. Ellison:

The communications site subject to the following complaint is located at:

121 Riverside Avenue
Medford, Massachusetts 02155

On behalf of The EMR Policy Institute (EMRPI) radiation testing was conducted at this rooftop communications site using a calibrated Narda 8715 meter and B8742D probe and it was found to exceed the lawful limits as defined in 47 C.F.R. § 1.1310 for RF maximum permissible exposure (MPE). EMRPI hereby requests that the Enforcement Bureau take the appropriate action to investigate and ensure that the FCC license holders comply with FCC RF radiation MPE limits at this site as required by law.

The EMR Policy Institute's expert was granted access to the rooftop by the building landlord. EMRPI's expert interviewed them and ascertained they had no knowledge of an RF Safety plan for the wireless tenants on their rooftop. They were also unaware of any hazardous radio frequency radiation levels on the rooftop.


There are two licensed wireless carriers at this location. Using the Narda survey system, EMRPI's expert measured greater than 600% spatially averaged of the FCC Public limit in front of one readily accessible antenna and 507% spatially averaged of the FCC Public limit in front of the second readily accessible antenna.

The signs posted at this wireless facility were deficient in providing safety guidance for persons accessing the areas illustrated in the attached exhibits. Attempts by EMRPI's expert to obtain assistance from the wireless carrier control centers through the posted phone numbers at this site were inadequate, uninformed and misleading.


EMRPI urges the FCC Enforcement Bureau to investigate the type and veracity of the information provided to those who call the phone numbers provided by the license holders for this rooftop site.

See attached Exhibits for photographs of the rooftop site in question.

Sincerely,



Janet Newton
President



Deborah Carney, JD
Vice President



Diana E. Warren
Director

Cc via E-mail or Facsimile Transmission:

U.S. Senator John Kerry
U.S. Senator Scott Brown
Congressman Ed Markey (MA- 07)
US OSHA North Boston Area Office


Massachusetts Governor Deval Patrick
Massachusetts Dept. of Labor Division of Occupational Safety and Health
Massachusetts Senator Patricia Jehlen
Massachusetts Rep. Paul J. Donato
Massachusetts Rep. Carl Sciortino Jr.

Medford Mayor Michael Mc Glynn
Medford City Council
Medford Building Commissioner Paul Mochi

Licensed Carrier area measured >600% FCC Public limit



Spatially averaged measurement from area illustrated above



Licensed Carrier area measured 507% FCC Public limit



Spatially averaged measurement from area illustrated above

